


NPS-56-80-006

NAVAL POSTGRADUATE SCHOOL

Monterey, California



COMBAT DAMAGE ASSESSMENT TEAM
A-10/GAU-8 LOW ANGLE FIRINGS
VERSUS
SIMULATED SOVIET TANK COMPANY (ARRAY 20)
(AEROJET LOT NUMBER AJD 79A181-001)
(19 SEPTEMBER 1979)
R.H.S. STOLFI
R.R. McEACHIN

MAY 1980

Approved for public release; distribution unlimited.

FEDDOCS
D 208.14/2:NPS-56-80-006

pared for: A-10 System Program Office
Wright Patterson Air Force Base
Ohio 45433

NAVAL POSTGRADUATE SCHOOL
Monterey, California

Rear Admiral James J. Ekelund
Superintendent

Jack R. Borsting
Provost

The work reported herein was supported by the A-10 System Program Office, Wright Patterson Air Force Base, Ohio. The reproduction of all or part of this report is authorized.

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER NPS-56-80-006	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) A-10/GAU-8 Low Angle Firing versus Simulated Soviet Tank Company (Array 20) (19 September 1979) (Aerojet Lot Number AJD 79A181-001)		5. TYPE OF REPORT & PERIOD COVERED Special report for Array Firings of 19 Sep 1979
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) R. H. S. Stolfi R. R. McEachin		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Postgraduate School Monterey, California 93940		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS MIPR AGFR 79-177
11. CONTROLLING OFFICE NAME AND ADDRESS A-10 System Program Office Wright-Patterson Air Force Base Ohio 45433		12. REPORT DATE May 1980
		13. NUMBER OF PAGES
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
1. automatic cannon ammunition	5. empirical firing tests	
2. GAU-8 cannon	6. combat stowed targets	
3. A-10 aircraft	7. gun ammunition lethality	
4. main battle tank (MBT)	8. MBT vulnerability & survivability	
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)		
<p>This report describes firings of the A-10/GAU-8 weapon system on 19 September 1979 against a Soviet tank company simulated by 10 combat loaded M-47 tanks. The pilots making the firing passes attacked at low altitude and used correspondingly low dive angles in order to simulate movement through a hostile air defense system. Ammunition used in the attacks comprised Aerojet Lot Number AJD 79A181-001 30mm armor piercing incendiary (API) rounds, which proved to be effective damage agents against substantial areas of</p>		

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

the U. S. M-47 tanks used as targets. The pilots in ten successful firing passes expended a total of 1349 rounds of which 243 impacted the targets. Of the projectiles impacting on target, 42 achieved perforations of the armored envelope. The simulated Soviet tank company was destroyed as a combat formation with seven tanks being totally immobilized immediately. One additional tank would have been immobilized after approximately 500 meters of further movement. Among those eight tanks noted above as immobilized, three suffered catastrophic damage from perforating projectiles which penetrated into the fuel tanks and ignited diesel fuel.

DD Form 1473
1 JAN 73
S/N 0102-014-6601

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

TABLE OF CONTENTS

	Page
EXECUTIVE SUMMARY	1
Attack Parameters	1
Weapon Effects	1
Damage Assessment	1
Test Conditions	2
Results	2
BACKGROUND	4
TEST PHILOSOPHY	4
SIMULATED GROUND COMBAT SITUATION	5
TARGET TANKS	7
TEST PERFORMANCE AND RESULTS	7
DAMAGE ASSESSMENT	15
Tank Number 47	16
Tank Number 48	21
Tank Number 4	24
Tank Number 41	27
Tank Number 7	33
Tank Number 27	37
Tank Number 29	41
Tank Number 33	45
Tank Number 31	50
Tank Number 20	56
SUMMARY AND CONCLUSIONS	60
APPENDIX A	62
APPENDIX B	67

LIST OF FIGURES

Figure	Page
1. Russian T-62 Medium Tank	8
2. U.S.A.F./Fairchild Republic A-10 Aircraft	10
3. Fairchild A-10 Series Aircraft	11
4. GAU-8/A-10 30mm Gun System	12
5. 30mm Armor Piercing Incendiary (API) Projectile. . .	13
6. Approximate Target Layout	14
7. Impact Diagram, Tank 47	17
8. Fragment Damage to Commander Manikin from Impacts 7, 8, and 10, Tank 47	18
9. Impact 8, Perforatin of Left Turret, Tank 47	19
10. Damage to Track and Suspension System caused by Impacts 13, 14, 15, 24, and 25; Tank 47	20
11. Impact Diagram, Tank 48	22
12. Perforation 5 Destroyed Oil Cooler Inlet Line from Transmission, Tank 48	23
13. Impact Diagram, Tank 4	25
14. Crew Casualties Resulting from Impacts 3, 4, 5, and 6, Tank 4	26
15. Impact Diagram, Tank 41, Left Side	28
16. Impact Diagram, Tank 41, Rear	29
17. Wounds Sustained by Tank Commander Manikin, Tank 41.	30
18. Damage to Track and Suspension System, Tank 41 . . .	31
19. Jammed Turret caused by Impacts 9, 10, and 11, Tank 41	32

LIST OF FIGURES (CONTINUED)

Figure	Page
20. Impact Diagram, Tank 7	34
21. Damage to Track Connector and Center Guide caused by Impact 9, Tank 7	35
22. Extensive Damage to Track and Suspension System caused by Impacts 25, 26, 27, and 29, Tank 7	36
23. Impact Diagram, Tank 27	38
24. Impacts 7 and 14, Perforations of Left Hull Armor.	39
25. Impacts 19 and 23, Perforations into the Engine Compartment	40
26. Impact Diagram, Tank 29	42
27. Fuel for the Catastrophic Fire was Provided by Impact 20, which Perforated the Left Fuel Tank, Tank 20	43
28. Perforations 2, 4, 8, and 12 which Incapacitated the Crew, Tank 29	44
29. Impact Diagram, Tank 33, Left Side	46
30. Impact Diagram, Tank 33, Front	47
31. Impact 6 which Perforated the Turret and Caused Loader Casualty, Tank 33	48
32. Damage to Loader Manikin (arrow) caused by Impact 6, Tank 33	49
33. Impact Diagram, Tank 31	51
34. Impact 17, Perforation of Hull and Fuel Tank, Target 31	52
35. Damage to Commander Manikin caused by Impact 2, Tank 31	53
36. Damage to Gunner Manikin caused by Impact 2, Tank 31	54

LIST OF FIGURES (CONCLUDED)

Figure	Page
37. Damage to Loader Manikin caused by Impact 2, Tank 31	55
38. Impact Diagram, Tank 20	57
39. Impacts 8 and 9 Penetrated the Fuel Tank Providing Fuel for a Major Fire, Tank 20	58
40. Probable Crew Casualties were caused by Impact 1 which Perforated the Turret, Tank 20	59
A-1. Array 20 Attack Aspect Summary	65

LIST OF TABLES

Tables	Page
I. Array 20 Summary of A-10 Aircraft in Low Angle Gun Attack versus Simulated Soviet Tank Company	3
II. Comparison of Ideal & Practical Test Situations	6
A-I. Array 20 Results Summary	63
A-II. Array 20 Perforation Location Summary	64
A-III. Array 20 Aircraft Attack Parameters	66

COMBAT DAMAGE ASSESSMENT COMMITTEE (CDAC) EXECUTIVE SUMMARY

Under the technical direction of the Combat Damage Assessment Committee (CDAC), the Combat Damage Assessment Team (CDAT) conducted firings of the A-10/GAU-8 weapon system against an array of 10 tanks simulating a Soviet tank company deployed for an attack. The CDAT used M-47 tanks stowed with main gun ammunition, diesel fuel, lubricating oil, and crew manikins to simulate the Soviet tanks. The pilots of the A-10 aircraft used in the firings conducted firings at low altitudes and low dive angles which simulated attack below the altitude of effective engagement for opposing air defense networks employing acquisition and fire control radar. The purpose of the test was to evaluate the effects of the Aerojet 30mm API anti-tank ammunition (lot Number AJD 79A181-001) of the GAU-8 gun under challenging conditions of engagement for the A-10/GAU-8 system against realistically simulated Soviet main battle tanks.

The CDAC assessed the results of the low angle cannon firings of the A-10 aircraft against the simulated Soviet tank company as follows:

1. Attack Parameters: The pilots of the A-10 aircraft attacked the simulated Soviet tank company at low altitude and dive angles. The GAU-8 cannon has a ground selectable nominal fire rate of either 4200 rounds per minute or 2100 rounds per minute. The system was set to fire at the 4200 round per minute rate during this test. The pilots made a total of ten passes, each at a primary target tank. The passes resulted in projectile impacts on ten primary target tanks. The attack open-fire dive angles averaged three degrees for the ten passes against the targets. Open-fire slant ranges averaged 3658 feet. The pilots fired 1349 rounds in ten bursts averaging 135 rounds and 2.01 seconds each.
2. Weapons Effects: The A-10/GAU-8 weapon system achieved 243 impacts on the 10 target tanks. The ratio of direct impacts to total rounds fired was 0.14. Ricochet hits are also capable of causing damage. If the ricochet hits are added to the direct impacts, the overall ratio of impacts to rounds fired becomes 0.18. The weapon system achieved 42 perforations of the armored envelopes of the tanks with a ratio of perforations to direct impacts of 0.22. The ratio of perforations to total impacts is 0.17. Many projectiles, which did not perforate armor, severely damaged exterior track and suspension components of the tanks as well as command and control optical devices and gun tubes.
3. Damage Assessment: The attacking A-10/GAU-8 weapon system inflicted three catastrophic kills on tanks in the company array. Five other tanks were immobilized, of which two were degraded in firepower and two others completely deprived of the use of main armament. One additional tank was seriously degraded in mobility and firepower. Only one tank retained a significant combat capability. The simulated Soviet Tank company was judged to have been destroyed, since all except one tank was severely

damaged, preventing activity as a formation.

4. Test Conditions: The target tanks were sited in open, flat desert terrain with no cover and little concealment. Aerial weather conditions were ones of unlimited ceiling and visibility. Shortly after the initial firing, clouds of white dust from projectile impacts were evident. Such conditions effectively simulated the actual obscuration which would have been presented to the pilots in combat.

5. Results: The overall results of the test are summarized in Table I. Appendix A contains graphical and summary information for this firing and Appendix B contains definitions of the terms used in this publication.

TABLE 1. Array 20 Summary of A-10 Aircraft in Low Angle Gun Attack versus Simulated Soviet Tank Company (19 September 1979)

Tank No.	A-10 Primary Pass*	A-10 Approach		A-10 Attack		Gun Effects		Damage			Tank Immob	Attack Aspect (degrees)	
		Speed (fps)	Alt (ft)	Open Fire Range** (ft)	Dive Angle (degrees)	Rounds (each)	Impacts (each)	Perfs (each)	M %	F %			K %
47	1/1	573	313	3173	-1.0	92	25	3	100	100	---	Yes	274
48	1/2	537	243	3684	-2.0	129	9	3	100	---	---	Yes	273
4	1/3	532	363	3816	-2.0	137	24	5	90	95	---	No	275
41	1/4	540	353	3023	-3.0	126	40	4	100	100	---	Yes	274
7	1/5	532	388	4127	-3.0	258	31	3	***100	20	---	Yes	272
27	2/1	583	453	3392	-2.0	70	24	8	---	---	100	Yes	272
29	2/2	539	563	3883	-5.0	126	28	5	---	---	100	Yes	264
33	2/3	503	513	3654	-5.0	113	28	5	10	30	---	No	257
31	2/4	535	613	3948	-5.0	137	22	2	100	95	---	Yes	263
20	2/5	534	463	3883	-5.0	161	12	4	---	---	100	Yes	260
Applicable													
Totals:						1349	243	42	3	3	3	8	Left
Averages:		540	427	3658	-3.3	134.9	2.43	4.2	2	2	2		Side

3 K-Kills
 2 M- and F-Kills
 3 M-Kills
 1 High % M and F Degradation
 1 Light M and F

*Key: 1/2 means pilot 1, pass 1; 2/3 means pilot 2, pass 3; etc.
 **Derived from HUD film
 ***Interdiction type M-Kill after 500 meters

BACKGROUND

Since February, 1978, the Armament Directorate, A-10 System Program Office, Wright Patterson Air Force Base, Ohio, has conducted firing tests using the A-10/GAU-8 system in low-level, air-to-ground engagements of armored targets. The tests have been conducted within the framework of the GAU-8 30mm ammunition Lot Acceptance Verification Program (LAVP) - Airborne. The LAVP has the following objectives which apply to the present tests:

- A. To evaluate the performance of existing production lots of GAU-8 ammunition when fired from the air under operational conditions.
- B. To evaluate the lethality of GAU-8 ammunition against armored targets when fired at low level from A-10 aircraft using operational tactics.

To conduct the LAVP program, the Armament Directorate has cooperated with Headquarters, Tactical Air Command, Langley AFB, Virginia and, in turn, with the Tactical Fighter Weapons Center, Nellis AFB, Nevada. Within the framework of that cooperation, the Armament Directorate has set up a Combat Damage Assessment Team (CDAT) to plan and execute the firing tests and evaluate the results. The CDAT functions under the direction of a Combat Damage Assessment Committee (CDAC) which has prepared this report of the firing test of 19 September, 1979.

TEST PHILOSOPHY

To generate realistic data, the CDAC determined to use a highly empirical technique of destructive testing of actual tank targets. Tests have involved firings at individual tanks in November, 1977 and February - March, 1978, and, more recently, arrays of vehicles in tactical formations. The experimental setup for the firings of 19 September, 1979 involved the use of a multi-target, tactically arrayed tank formation for attack by the A-10/GAU-8 system. The CDAT elected to simulate a Soviet tank company, as organized within a tank division, as the target array for two attacking A-10 aircraft. As few constraints as possible were placed on the attacking pilots in an attempt to develop as much realism as possible. Table II shows the test factors which would have been ideal in the test of 19 September, 1979 and the practicable setup which was achieved.

Table II. Comparison of Ideal and Practical Test Situations

<u>Ideal Test Parameters</u>	<u>Practical Test Parameter</u>
1. <u>Air Attack Realism</u>	1. <u>Air Attack Realism</u>
a. Actual A-10/GAU-8	a. Actual A-10/GAU-8
b. 30mm API	b. 30mm API
c. European weather & terrain	c. Nevada weather & desert terrain
d. Optimum open-fire ranges (2000 ft)	d. Average open-fire range: 3658 feet.
e. Low altitude attack angle (< 6 degrees)	e. Low altitude attack angle (< 6 degrees)
2. <u>Air Defense Realism</u>	2. <u>Air Defense Realism</u>
a. Automatic cannon firing at aircraft	a. Low-altitude, low-angle, minimum-exposure attacks versus assumed AD system
b. Missile systems firing at aircraft	b. Low-altitude, low-angle, minimum-exposure attacks versus assumed AD system
c. Small arms firing at aircraft	c. Low-altitude, low-angle, minimum-exposure attacks versus assumed AD system
d. AD suppression by aircraft	d. No suppression simulation in test
3. <u>Threat Targets and Doctrine</u>	3. <u>Threat Targets and Doctrine</u>
a. T62/T64/T72 high fidelity targets	a. Simulated Soviet tanks
b. Stowed combat loads (in T62/T64/T72)	b. Stowed combat loads (in US M-47)
c. Realistic crew station postures	c. Wooden crew manikins
d. Dynamic combat formation	d. Static combat formation
e. Maneuvering evasive targets	e. Stationary targets

SIMULATED GROUND COMBAT SITUATION

The firing test of 19 September, 1979 simulated the attack by two A-10 aircraft on a Soviet tank company. The CDAC hypothesized the Soviet tank company to be the lead march security detachment for its battalion, which in turn, is the advance guard of a larger mobile formation. The lead detachment operates approximately five kilometers in front of the Soviet battalion column. The mission of the advance company is to ensure the uninterrupted advance of the battalion and provide security against attack. Upon meeting heavy resistance, the company deploys into an appropriate combat formation to reduce the resistance, or form a base of fire for offensive action by the remainder of the battalion.

A Soviet tank company would probably have other units attached to it for its support. Attached units might include any one or all of the following elements: (1) motorized rifle platoon; (2) engineer detachment; (3) chemical defense specialists; (4) 122mm howitzer battery; (5) air defense element. The company simulated in the firing test consisted of tanks alone. The pure tank formation was arranged in column formation, simulating high speed movement along an axis of advance. The tanks used in the firing test were US M-47 tanks, largely intact, containing crew manikins, and stowed with ammunition, fuel, and oil. The tanks were not maneuvered during the firing test and the formation remained essentially a snapshot of the company at a single point in time.

TARGET TANKS

The most effective tanks available in sufficient numbers to simulate Soviet T-55 and T-62 (Figure 1) tanks were the US M-47 tanks. Both of the Soviet tank models are similar in armor protection to the M-47. With the appropriate purging of the gasoline fuel system of the US tanks, the CDAT managed to field a tank similar in survivability to the T-55 and T-62 tanks from the viewpoint of ignitable internal material. Few data are available on the Soviet T-64 and later model tanks from the viewpoints of armor protection and the arrangement of internal components. The decision was made, accordingly, to simulate the earlier model Soviet tanks with the readily available US tanks.

The M-47 tanks used for targets were in excellent condition from the viewpoint of damage assessment. The exterior components were complete and the tanks have proven to be effective targets for the collection of exterior mobility damage. Interior components were less complete in the target tanks. All of the most essential items were present, e.g., main gun, engine, transmission, fuel tanks, ammunition racks, etc., but other items such as oil coolers, range finders, vision devices, and radios, have not been present in all tanks.



The most sensitive internal items from the viewpoint of catastrophic kills and high percentage Mobility (M) and Firepower (F) kills are the following, which were placed in the test tanks as noted:

<u>Generic Sensitive Item</u>	<u>Test Item</u>
1. Ammunition -----	US Cartridge, 90-mm TP-T
2. Fuel -----	Number 2 Diesel
3. Oil -----	Oil in Engine, Transmission and Drive Components.
4. Personnel -----	Articulated Plywood Manikins

The tanks were static during the test and their engines were not running, with the result that the fuel and oil were much cooler and more inert than would have been the case with a moving tank or a static vehicle with its engine running. The kill ratio achieved in the firing test of 19 September, 1979, therefore, is probably conservative from the viewpoint of fires resulting from ignited fuel and oil.

TEST PERFORMANCE AND RESULTS



Conduct of the test consisted of bringing together the ammunition, gun, aircraft, pilots, and combat arrayed and loaded tanks into a several minutes simulation of combat. In essence, the




Russian T62 Medium Tank

Drawn by S R Cobb

Scale - 1:32



BARON



© 1976

AEROJET ORDNANCE COMPANY

FIGURE 1. Russian T62 Medium Tank

decisive elements which were fed into the test immediately prior to the firing were the following:

1. Aerojet 30mm API ammunition, Lot Number AJD 79A181-001.
2. General Electric GAU-8 Gatling gun.
3. Fairchild Republic A-10 attack aircraft.
4. USAF Fighter Pilots.
5. US Designed M-47 main battle tanks.

The combat simulation itself comprised the aerial fire and maneuver of the attacking A-10 aircraft. A realistic way of presenting the combat simulation is to outline the sequence of pertinent events in each firing pass. These events and the pertinent data which the CDAT attempted to collect, in order to reconstruct the simulated combat firing of 19 September, 1979, were as follows:


<u>Sequence</u>	<u>Event</u>	<u>Data</u>
1.	Aircraft Approach	Speed, Altitude
2.	Aircraft Attack	Open-fire Range, Dive Angle
3.	Aircraft Attack	Burst Time, Rounds Fired
4.	Aircraft Attack	Cease-fire Range, Dive Angle
5.	Gun Effects, (Accuracy)	Impacts on Tanks
6.	Gun Effects, (Lethality)	Perforations through Armor
7.	Tank Damage	Catastrophic (K-Kill), Mobility (M-Kill), and Firepower (F-Kill) Kills

The data noted immediately above were collected through the combined efforts of the CDAT and range support personnel at Nellis AFB, working together and using TSPI equipment, motion picture and still cameras, the industrial efforts required to repair, refurbish, and field the tank targets, and various systematic research techniques used to describe weapon effects and combat damage. The most basic materiel used in the test; i.e., the aircraft, gun, and projectile are illustrated in Figures 2, 3, 4, and 5. The tanks were arrayed in the tactical formation of a column of Soviet tanks as shown in Figure 6.

The pilots making the attack flew from the base area in a two-ship, mutually supporting element and employed operational tactics immediately before and during the firing passes. The pilots approached the target area at low altitude and simulated target acquisition with the help of a forward air controller. The pilots proceeded in their attack on the acquired targets at low altitudes and dive angles, simulating operation below the altitudes for effective acquisition and engagement by opposing air defense missile and gun systems.



FIGURE 2. U.S.A.F. Fairchild Republic A-10 Aircraft.



Fairchild A-10A

FIGURE 3. Fairchild A-10 Series Aircraft.



FIGURE 4. GAU-8/A 30mm Gun System




FIGURE 5. 30mm Armor Piercing Incendiary (API) Projectile.




FIGURE 6. Approximate Target Layout.

DAMAGE ASSESSMENT

The damage assessment conducted by the CDAT is presented on the following pages. Appendix A, following the damage assessment section contains graphical and tabular information relative to the mission in general; for example, aircraft attack parameters, weapon effects, and summaries of damage.

Terms used in the damage assessment summaries are defined in Appendix B.

Impacts on tanks were arbitrarily numbered for identification purposes. The impacts were numbered sequentially, first at the turret level, then at the hull level. If additional impacts were discovered during the combat damage assessment (as was sometimes the case) they were given the next sequential number, i.e., no attempt was made to "correct" the sequence. THE READER IS CAUTIONED THAT THIS NUMBERING SYSTEM HAS NO RELATIONSHIP WHATSOEVER TO THE ARRIVAL SEQUENCE OF PROJECTILES ON THE TANK OR TO THE PORTION OF THE BURST IMPACTING THE TANK.

TARGET TANK DAMAGE SUMMARY

M-47 Tank Number 47

1. Description:

The target tank was impacted at an attack aspect of 274 degrees (left side) during one firing pass at low altitude and low dive angle. The A-10 expended 92 rounds in the firing pass.


2. Kill Assessment:

100% M-Kill and 100% F-Kill resulting from the following observed projectile effects (Figure 7):

a. Perforations	:	3
b. Significant Impacts	:	6
c. Insignificant Impacts:		<u>16</u>
TOTAL IMPACTS	:	25

3. Rationale for Kill Assessment:

- a. M-Kill: The assessment of 100% M-Kill was based on impacts 7, 8, and 10 which perforated the left side of the turret killing the commander (Figure 8) and gunner and wounding the loader, driver, and bow gunner (Figure 9), impact 19 which destroyed the left number 1 road wheel hub, and impacts 13, 14, 15, 24, and 25 (Figure 10) which cumulatively damaged the track and suspension system.
- b. F-Kill: The assessment of 100% F-Kill is based on crew casualties to all five crew members.



Legend:

- - Perforation
- * - Hit
- - Ricochet Off Ground

FIGURE 7. Impact Diagram, Tank 47.



FIGURE 8. Fragment Damage to Commander Manikin from Impacts 7, 8, and 10, Tank 47.




FIGURE 9. Impact 8, Perforation of Left Turret, Tank 47.




FIGURE 10. Damage to Track and Suspension System caused by Impacts 13, 14, 15, 24, and 25; Tank 47.

TARGET TANK DAMAGE SUMMARY

M-47 Tank Number 48

1. Description:

The target tank was impacted at an attack aspect of 273 degrees (left side) during one firing pass in which the attacking aircraft expended 129 rounds.

2. Kill Assessment:


100% M-Kill based on the following observed effects (Figure 11):

a. Perforations	:	3
b. Significant Impacts	:	1
c. Insignificant Impacts:		<u>5</u>

TOTAL IMPACTS	:	9
---------------	---	---

3. Rationale for Kill Assessment:

The assessment of 100% M-Kill is based on impact 3, which perforated the left hull and penetrated into the left fuel cell, and impact 5, which perforated the left hull into the engine compartment destroying the coupling on the oil cooler inlet line from the transmission (Figure 12).



Legend

- - Perforation
- * - Hit
- - Ricochet Off Ground

FIGURE 11. Impact Diagram, Tank 48.




FIGURE 12. Perforation 5 Destroyed Oil Cooler Inlet Line from Transmission, Tank 48.

TARGET TANK DAMAGE SUMMARY

M-47 Tank Number 4

1. Description:

The target tank was impacted at an attack aspect of 275 degrees (left side) during one firing pass in which the attacking aircraft expended 137 rounds.

2. Kill Assessment:

90% M-Kill and 95% F-Kill resulting from the following observed effects (Figures 13):

a. Perforations	:	5
b. Significant Impacts	:	0
c. Insignificant Impacts:		<u>19</u>

TOTAL IMPACTS	:	24
---------------	---	----

3. Rationale for Kill Assessment:

a. M-Kill: The assessment of a 90% M-Kill is based on casualty criteria resulting from impacts 3, 4, 5, and 6 (Figure 14) which caused casualties to all crewmen in the fighting compartment. The tank could continue its mission after replacement of the wounded crewmen.

b. F-Kill: The assessment of a 95% F-Kill is also based on casualty criteria. The tank could continue its mission after replacement of the wounded crewmen.

NOTE: Number 21 not depicted.




FIGURE 13. Impact Diagram, Tank 4.



FIGURE 14. Crew Casualties Resulting from Impacts 3, 4, 5, and 6; Tank 4.

TARGET TANK DAMAGE SUMMARY

M-47 Tank Number 41

1. Description:

The target tank was impacted at an attack aspect of 274 degrees (left side) during one firing pass in which the attacking aircraft expended 126 rounds.

2. Kill Assessment:

100% M-Kill and 100% F-Kill resulting from the following observed effects (Figures 15 and 16):

a. Perforations	:	4
b. Significant Impacts	:	8
c. Insignificant Impacts:		<u>28</u>

TOTAL IMPACTS	:	40
---------------	---	----

3. Rationale for Kill Assessment:

- a. M-Kill: The assessment of a 100% M-Kill is based on impact 29 which perforated the left hull armor and penetrated the fuel tank; to impact 8 (Figure 17) which wounded all personnel in the fighting compartment; and to cumulative damage to the track and suspension system resulting from impacts 13, 15, 20, 22, and 33 (see Figure 18 for impacts 13, 20, and 22).
- b. F-Kill: The assessment of 100% F-Kill is based on impacts 9, 10, and 11, which jammed the turret and prevented it from traversing (Figure 19); and impact 8 which incapacitated the tank commander, gunner and loader.

NOTE: Number 35 is a ricochet which is not depicted.





FIGURE 15. Impact Diagram, Tank 41, Left Side.



Legend:

- - Perforation
- * - Hit
- - Ricochet Off Ground

FIGURE 16. Impact Diagram, Tank 41, Rear.



FIGURE 17. Wounds Sustained by Tank Commander Manikin, Tank 41.




FIGURE 18. Damage to Track and Suspension System, Tank 41.



FIGURE 19. Jammed Turret caused by Impacts 9, 10, and 11, Tank 41.

TARGET TANK DAMAGE SUMMARY

M-47 Tank Number 7

1. Description:

The target tank was impacted at an attack aspect of 272 degrees (left side) during one firing pass in which the attacking aircraft expended 258 rounds.

2. Kill Assessment:

100% (interdiction type) M-Kill and 20% F-Kill resulting from the following observed effects (Figure 20):

a. Perforations	:	3
b. Significant Impacts	:	11
c. Insignificant Impacts:		<u>15</u>

TOTAL IMPACTS	:	31
---------------	---	----

3. Rationale for Kill Assessment:

- a. M-Kill: The assessment of a 100% interdiction type M-Kill after 500 meters movement was attributed to impact 9 (Figure 21) which destroyed one end connector and one track center guide on the same pair of track links, and to cumulative damage to the track and suspension system caused by impacts 25, 26, 27, 29, (Figure 22) and six other impacts.
- b. F-Kill: A 20% F-Kill was assessed due to damage caused by impact 1, (Figure 20 and 21), which penetrated the bore evacuator and gun tube.

NOTE: Impact number 4 did insignificant damage to the stowage box, and is not depicted.




FIGURE 20. Impact Diagram, Tank 7.



FIGURE 21. Damage to Track Connector and Center Guide Caused by Impact 9; Tank 7.




FIGURE 22. Extensive Damage to Track and Suspension System caused by Impacts 25, 26, 27, and 29; Tank 7.

TARGET TANK DAMAGE SUMMARY

M-47 Tank Number 27

1. Description:

The target tank was impacted at an attack aspect of 272 degrees (left side) during one firing pass in which the attacking aircraft expended 70 rounds.

2. Kill Assessment:

100% K-Kill resulting from the following observed effects (Figure 23):

a. Perforations	:	8
b. Significant Impacts	:	**
c. Insignificant Impacts:	:	<u>**</u>

TOTAL IMPACTS	:	24
---------------	---	----

**Omitted - catastrophic fire and explosions overrode other damage.

3. Rationale for Kill Assessment:

100% K-Kill due to a fuel fire resulting from impact 14 (Figure 24) which perforated the left hull armor and penetrated the fuel tank and impacts 1, 2, and 3, which perforated the turret causing crew casualties to all personnel in the fighting compartment. Impacts 7 (Figure 24), 19, and 23 (Figure 25) which penetrated into the engine compartment were also capable of igniting oil fed fuel fires.




FIGURE 23. Impact Diagram, Tank 27.




FIGURE 24. Impacts 7 and 14, Perforations of Left Hull Armor.



FIGURE 25. Impacts 19 and 23, Perforations into the Engine Compartment, Tank 27.

TARGET TANK DAMAGE SUMMARY

M-47 TANK NUMBER 29

1. Description:

The target tank was impacted at an attack aspect of 264 degrees (left side) during one firing pass in which the attacking aircraft expended 126 rounds.

2. Kill Assessment:

100% K-Kill resulting from the following observed effects (Figure 26):

a. Perforations	:	5
b. Significant Impacts	:	**
c. Insignificant Impacts:	:	<u>**</u>

TOTAL IMPACTS : 28

**Omitted - catastrophic fire and explosion overrode other damage.

3. Rationale for Kill Assessment:

100% K-Kill due to a fuel fire resulting from impact 20 (Figure 27) which perforated the left hull armor and penetrated the fuel tank and from impacts 2, 4, 8, and 12 (Figure 28) which perforated the turret and hull armor causing crew casualties to all personnel in the fighting and driver's compartment.

NOTE: Impact number 5 was a ricochet hit on left turret, not shown.




FIGURE 26. Impact Diagram, Tank 29.




FIGURE 27. Fuel for the Catastrophic Fire was Provided by Impact 20, which Perforated the Left Fuel Tank, Tank 29.



FIGURE 28. Perforations 2, 4, 8, and 12 which Incapacitated the Crew, Tank 29.

TARGET TANK DAMAGE SUMMARY

M-47 Tank Number 33

1. Description:

The target tank was impacted at an attack aspect of 257 degrees (left side) during one firing pass in which the attacking aircraft expended 113 rounds.

2. Kill Assessment:

10% M-Kill and 30% F-Kill from the following observed effects (Figures 29 and 30):

a. Perforations	:	5
b. Significant Impacts	:	2
c. Insignificant Impacts:		<u>21</u>

TOTAL IMPACTS	:	28
---------------	---	----

3. Rationale for Kill Assessment:

- a. M-Kill: A mobility degradation of 10% was assessed due to minor track and suspension damage caused by impacts 14 and 22
- b. F-Kill: A firepower degradation of 30% was assessed due to loader casualty (Figure 31) caused by impact 6 (Figure 32).

NOTE: Impact number 9 was a simple hit which is not depicted.





FIGURE 29. Impact Diagram, Tank 33, Left Side.



Legend:

- - Perforation
- * - Hit
- - Ricochet Off Ground

FIGURE 30. Impact Diagram, Tank 33, Front.



FIGURE 31. Impact 6 which Perforated the Turret and caused Loader Casualty, Tank 33.



FIGURE 32. Damage to Loader Manikin (arrow) caused by Impact 6; Tank 33.

TARGET TANK DAMAGE SUMMARY

M-47 Tank Number 31

1. Description:

The target tank was impacted at an attack aspect of 263 degrees (left side) during one firing pass in which the attacking aircraft expended 137 rounds.

2. Kill Assessment:

100% M-Kill and 95% F-Kill resulting from the following observed effects (Figure 33):

a. Perforations	:	2
b. Significant Impacts	:	3
c. Insignificant Impacts:		<u>17</u>
TOTAL IMPACTS	:	22

3. Rationale for Kill Assessment:

- a. M-Kill: The assessment of a 100% M-Kill is based on impact 17 (Figure 34) which perforated the left hull and penetrated the fuel tank, and on track and suspension damage resulting from impacts 16, 19, and 22.
- b. F-Kill: The assessment of a 95% F-Kill is based on assessed casualties to crew members in the fighting compartment (Figures 35, 36, and 37) caused by impact 2.




FIGURE 33. Impact Diagram, Tank 31.



FIGURE 34. Impact 17, Perforation of Hull and Fuel Tank, Tank 31.



FIGURE 35. Damage to Commander Manikin caused by Impact 2, Tank 31.



FIGURE 36. Damage to Gunner Manikin caused by Impact 2, Tank 31.



FIGURE 37. Damage to Loader Manikin caused by Impact 2, Tank 31.

TARGET TANK DAMAGE SUMMARY

M-47 TANK NUMBER 20

1. Description:

The target tank was impacted at an attack aspect of 260 degrees (left side) during one firing pass in which the attacking aircraft expended 161 rounds.

2. Kill Assessment:

Catastrophic (K-Kill) resulting from the following observed effects (Figure 38):

a. Perforations	:	4
b. Significant Impacts	:	**
c. Insignificant Impacts:	:	<u>**</u>

TOTAL IMPACTS : 12

**Omitted - catastrophic fire and explosion overrode other damage.

3. Rationale for Kill Assessment:

100% K-Kill due to a fuel fire resulting from impacts 8 and 9 (Figure 39) which perforated the left hull armor and penetrated the fuel tank and from impact 1 (Figure 40) which perforated the turret armor probably causing casualties to the commander, gunner, and loader.




FIGURE 38. Impact Diagram, Tank 20.



FIGURE 39. Impacts 8 and 9 Penetrated the Fuel Tank, Providing Fuel for a Major Fire, Tank 20.



FIGURE 40. Probable Crew Casualties were caused by Impact 1 which Perforated the Turret, Tank 20.

SUMMARY AND CONCLUSIONS

On 19 September, 1979 at Nellis AFB, Nevada, the Combat Damage Assessment Team (CDAT) conducted firings of the A-10/GAU-8 weapon system against an array of 10 tanks simulating a Soviet tank company deployed for an attack. The purpose of the firing test was to evaluate the effects of Aerojet Lot Number AJD 79A181-001 30mm API anti-tank ammunition of the GAU-8 gun under challenging conditions of engagement for the A-10/GAU-8 system against realistically simulated Soviet tank formations. The CDAT used M-47 tanks stowed with main gun ammunition, diesel fuel, lubricating oil, and crew manikins to simulate the Soviet tanks. The pilot of the A-10 aircraft used in the firings conducted his attacks at low altitudes and low dive angles which simulated attack below the altitude of the effective engagement for opposing air defense systems using acquisition and fire control radar.

The firing test can be summarized in terms of the following data which were collected and/or extracted from the firings:

Aircraft Parameters

1. Open-fire Speed (average)-----540 ft/sec
2. Altitude-----427 feet
3. Dive Angle (average)-----3.3 degrees
4. Open-fire Slant Range (average)-----3658 feet
5. Burst Length/Rounds (averages)-----2.01 sec/135
6. Number Passes (primary)-----10
7. Target Aspects (predominantly)-----left side

Weapon Effects

Target Damage

- | | |
|--------------------------------|--------------------|
| 1. Rounds Fired-----1349 | 1. K-Kills-----3 |
| 2. Impacts----- 243 | 2. M+F-Kills-----2 |
| 3. Ricochets (off ground)-- 51 | 3. M-Kills-----3 |
| 4. Direct Impacts----- 192 | 4. F-Kills-----0 |
| 5. Perforations----- 42 | 5. Light damage--1 |

These data and the more detailed base from which they were extracted can be arranged into measures of effectiveness for the A-10/GAU-8 system under conditions similar to those in the firing test, i.e., empirical combat simulation. The following values of effectiveness are based on the firing test on 19 September, 1979.

Measures of Effectiveness

Accuracy Related Ratio:

$$\frac{\text{Total Impacts}}{\text{Rounds Fired}} = 0.18$$

$$\frac{\text{Direct Impacts}}{\text{Rounds Fired}} = 0.14$$

Lethality Related Ratio:

$$\frac{\text{Perforations}}{\text{Total Impacts}} = 0.17$$

$$\frac{\text{Perforations}}{\text{Direct Impacts}} = 0.22$$

Weapon System Effectiveness Ratio

$$\frac{\text{Tanks Immobilized}}{\text{Passes}} = 0.80$$

$$\frac{\text{Tanks K-Killed}}{\text{Passes}} = 0.30$$

The ten target tanks were attacked predominately from the left side and suffered the damage shown in Table I and Table A-1.

The data and measures summarized above, and other data contained in this report, support several conclusions:

1. The A-10/GAU-8 weapon system in realistic simulation of combat is capable of inflicting catastrophic kills on M-47 and similarly protected main battle tanks, e.g., Soviet T-55 and T-62 tanks. The system is also capable of inflicting M- and F- kills on the same types of main battle tanks.
2. The weapon system, in low-level attacks, can perforate the side surfaces of the hulls and turrets of M-47 and similiarly protected main battle tanks. The perforating projectiles retain enough energy to ignite diesel fuel, cause crew casualties, and penetrate into engine and transmission components.
3. The weapon system is an effective killing agent against the side surfaces of M-47 and similar tanks when firing moderate to long bursts of 1.4 to 3.7 seconds containing 70 to 258 rounds.

APPENDIX A

Graphical and Summary Information

Table A-I contains a summary of the results of Mission 20 of 19 September, 1979. Table A-II contains a summary of damage assessment based on perforation locations. Table A-III contains a summary of aircraft attack parameters. Figure A-1 depicts aircraft attack aspect by pilot as a function of open-fire range.

TABLE A-I. Array 20 Results Summary
(19 September 1979)

Target Tank No.	Damage Assessment* (M%) (F%) (K%)	All Target Impacts	Direct Impacts	Rounds Fired	Total Perforations
47	100 100 ---	25	23	92	3
48	100 --- ---	9	8	129	3
4	90 95 ---	24	18	137	5
41	100 100 ---	40	33	126	4
7	100 20 ---	31	24	258	3
27	--- --- 100	24	19	70	8
29	--- --- 100	28	22	126	5
33	10 30 ---	28	20	113	5
31	100 95 ---	22	16	137	2
20	--- --- 100	12	9	161	4
TOTALS:		243	192	1349	42

*K = Catastrophic Kill; M = Mobility Kill; F = Firepower Kill

TABLE A-II. Array 20 Perforation Location Summary
(19 September 1979)

Target Tank	Damage Assessment*		Turret Perforations (Fighting Compt)	Hull Perforations		Total Perforations	
	(M%) (F%)	(K%)		Fighting Compt	Drivers Compt	Engine Compt	Perforations
47	100	100	3	0	0	0	3
48	100	---	0	0	0	3	3
4	90	95	4	1	0	0	5
41	100	100	1	0	0	3	4
7	100	20	1	1	0	1	3
27	---	---	4	0	0	4	8
29	---	---	2	0	2	1	5
33	10	30	1	2	1	1	5
31	100	95	1	0	0	1	2
20	---	---	1	0	0	3	4
TOTALS:			18	4	3	17	42

*K = Catastrophic Kill; M = Mobility Kill; F = Firepower Kill

Open-fire range (feet)	Pilot/Pass	Aspect Angle
3173	1/1	274
3684	1/2	273
3816	1/3	275
3023	1/4	274
4127	1/5	272
3392	2/1	272
3883	2/2	264
3654	2/3	257
3948	2/4	263
3883	2/5	260




FIGURE A-1. Aircraft Attack Aspect.

TABLE A-III. Array 20 Aircraft Attack Parameters
(19 September 1979)

Acft Pass	Tank No.	Open Fire Slant Rng (feet)	Dive Angle Open/Cease (degrees)	Altitude (feet)	Velocity Open/Cease (ft/sec)	Burst Length (seconds)	Source
1/1	47	3173	-1/-2	313	573/569	1.40	HUD
		2585	-4/-4	192	579/573	1.41	TSPI
1/2	48	3684	-2/-2	243	537/535	1.92	HUD
		2777	-6/-4	251	578/573	1.06	TSPI
1/3	4	3816	-2/-1	363	532/517	2.04	HUD
		2829	-5/-4	239	544/537	1.79	TSPI
1/4	41	3023	-3/-2	353	540/542	1.88	HUD
		3085	-8/-7	369	539/527	1.82	TSPI
1/5	7	4127	-3/ 0	388	532/513	3.77	HUD
		2831	-5/-3	234	537/532	1.94	TSPI
2/1	27	3392	-2/-2	453	583/579	1.08	HUD
		2863	-8/-7	341	521/513	1.59	TSPI
2/2	29	3883	-5/-5	563	539/535	1.88	HUD
		2741	-5/-4	247	547/538	1.81	TSPI
2/3	33	3654	-5/-5	513	503/500	1.69	HUD
		3294	-8/-7	402	532/549	2.04	TSPI
2/4	31	3948	-5/-5	613	535/534	2.04	HUD
		3400	-5/-3	312	534/524	3.70	TSPI
2/5	20	3883	-5/-5	463	534/534	2.38	HUD
		3161	-7/-6	352	538/518.6	2.32	TSPI
HUD Averages:		3658	-3.3	427	540/536	2.01	

NOMINAL HUD FILM TOLERANCES:

SLANT RANGES: PLUS ZERO MINUS 150 FEET
 DIVE ANGLES: PLUS 0.5 MINUS 0.5 DEGREE
 VELOCITIES: PLUS 8.4 MINUS 8.4 FEET PER SECOND
 BURST TIMES: PLUS 0.0 MINUS 0.021 SECOND

NOTE: This table presents attack parameter data from two sources. Due to poor TSPI camera location, HUD film data is considered the most reliable.

APPENDIX B

DEFINITIONS

The terms used in this report are defined below:

IMPACT -- Any evidence of a projectile strike against any portion of the target. Ground ricochets striking the target were classified as "impacts".

PERFORATION -- Any rupture of the armored envelope caused by an impacting projectile which results in a complete rupture of an armored surface by the projectile or spall fragments. A perforation can occur only when the armor is impacted. The word "Perforation" was deliberately selected to avoid the ambiguities which may occur through use of the word "penetration". Behind-the-plate effects may or may not result from a perforation.

HIT -- Any impact not classified as a perforation.

MOBILITY KILL (M-KILL) -- Loss of tactical mobility resulting from damage which cannot be repaired by the crew on the battlefield. A tank is considered to have sustained a 100% M-Kill when it is no longer capable of executing controlled movement on the battlefield. Mobility is DEGRADED when a tank can no longer maintain position in its formation.

FIREPOWER KILL (F-KILL) -- Loss of tactical firepower resulting from damage which cannot be repaired by the crew on the battlefield. A tank is considered to have sustained a 100% F-Kill when it is incapable of delivering controlled fire from its main armament. Firepower is DEGRADED when a tank can no longer maintain its "normal" rate-of-fire, velocity, accuracy, time to shift targets, etc.

CATASTROPHIC KILL (K-KILL) -- A tank is considered to have sustained a K-Kill when both an M-Kill and a F-Kill have occurred as the result of killing fires and explosions from ignited fuel and/or ammunition. A tank which has suffered a K-Kill is considered not to be economically repairable, and, by U.S. standards, would be abandoned on the battlefield.

ATTACK ASPECT -- The angle of approach of the aircraft with respect to the orientation of the tank with zero degrees representing the front of the tank (gun forward) and 180 degrees representing the rear of the tank.

SIGNIFICANT IMPACTS -- Impacts which damage systems, components or sub-systems resulting in their destruction or partial loss of function. This type damage contributes to the assessed kill.

INSIGNIFICANT IMPACTS -- Impacts which damage non-critical structural, convenience, or accessory components and which may result in their destruction or partial loss of function, but with no impact on mobility or firepower considerations. Good maintenance practices contemplate repair or replacement of such items at the earliest opportunity consistent with accomplishment of the mission.

DISTRIBUTION LIST FOR LAVP RESULTS

		No. Copies
1.	Mr. R.L. Saley Aerojet 1025 Connecticut Avenue, N.W. 12th Floor Washington, DC 20036	1
2.	Mr. Marshall Hoyler, Analyst Congressional Budget Office 2nd & D Streets, S.W. Washington, DC 20024	1
3.	Dr. John Barmby U.S. General Account Office 441 C Street N.W. Washington, DC 20548	1
4.	Lt. Col. Neal Edward Tash USAF/XOOTR Pentagon Washington, DC 20330	1
5.	Lt. Col. Donald E. Madonna BQ AFSC/XRLA Andrews AFB, MD Washington, DC 20331	1
6.	Col. John R. Boyd USAF, (ret.) OASD/PA&E, Room 2C 281 Pentagon Washington, DC 20301	1
7.	Dept. of the Air Force The Albert F. Simpson Historical Research Center/HOH Arthur W. McCants, Jr., Lt. Col. Chief, Oral History Branch Maxwell Air Force Base, Alabama 36112	1
8.	354 TFW/DOW Myrtle Beach AFB, SC 29577	5
9.	81 TFW/CC RAF Bentwaters APO NY 09755	1

10.	81 TFW/DO RAF Bentwaters APO NY 09755	20
11.	23 TFW/DO England AFB, LA 71301	2
12.	USAF/TFWC/TE Nellis AFB, NV 89191	5
13.	Mr. Jerome H. Stolarow U.S. General Accounting Office 441 C Street, N.W. Washington, DC 20548	1
14.	MGEN Bernard E. Trainor Education Center MCDEC Quantico, VA 22134	1
15.	Maj O.W. McCormack Supporting Arms Instruction Division Education Center MCDEC Quantico, VA 22134	1
16.	Capt J.L. Dawson Supporting Arms Instruction Division Education Center MCDEC Quantico, VA 22134	1
17.	Mr. William Lind Office of Senator Gary Hart 254 Russel Building Washington, DC 20510	2
18.	Capt. Kenneth W. Estes USMC 102 Clemson Court Jacksonville, NC 28540	1
19.	Deputy Chief of Staff for Intelligence Headquarters Tactical Air Command Col. Herrmann Langley AFB, VA 23665	5
20.	Mr. James O. Carson Central Intelligence Agency/OSR Washington, DC 20505	1

21. Mr. Robert Korn 1
Central Intelligence Agency
Washington, DC 20505
22. Mr. John Cuzzordo 1
Central Intelligence Agency
Washington, DC 20505
23. Mr. Richard R. Hallock 5
Intrac, Inc.
606 Wilshire Boulevard - Suite 400
Santa Monica, CA 90401
24. Mr. C.M. Gordon 1
GE
777 14th, N.W.
Washington, DC 20005
25. Maj. M.R. Janay, USMC 1
HQ DARCOM - Code DRCGS-F
5001 Eisenhower Avenue
Alexandria, VA 22304
26. Mr. Raymond R. McEachin 5
P.O. Box 273
Hazlehurst, GA 31539
27. L.C. Hayes, USMC 1
Headquarters, Marine Corps
Washington, DC 20380
28. K.R. Town, USMC 1
Headquarters, U.S. Marine Corps
Washington, DC 20380
29. John C. McKay, USMC 1
Headquarters, U.S. Marine Corps
Washington, DC 20380
30. Mr. Tyler W. Tandler 1
1012 Deadrun Drive
McLean, VA 22101
31. Mr. E. Elko 1
AOMC
9236 Rast Hall Road
Downey, CA 90241

32. Mr. K.H. Wolvington 5
GE
Lakeside Avenue
Burlington, VT 05401
33. Mr. Kwai Chan 1
U.S. General Accounting Office
441 C Street, N.W.
Washington, DC 20548
34. HQ TAC/D000 2
Langley AFB, VA 23665
35. USAF Academy 2
Library
USAF Academy, CO 80840
36. Herrn Dr. Horst Boog 2
Wiss Oberrat
Militargeschichtliches Forschungsamt
7800 Freiburg im Breisgau
West Germany
37. Albert F. Simpson 2
Historical Research Center
Attention: Mr. Fletcher
Maxwell AFB, AL 36112
38. CMDR Naval Air Systems Command 1
Attention: PMA 235 B
Washington, DC 20361
39. DASD/ISA/ED 1
Room 4D800
The Pentagon
Washington, DC 20301
40. Lt. Col. Howard J. Pierson 10
139 Booker Street
Little Rock, AR 72204
41. USAF 2
DCS/Plans & Operations Tactical Division
BF939B
The Pentagon
Washington, DC 20301

42. USAF 2
DCS/Programs & Resources
Director of Programs Tactical Branch
4C152
The Pentagon
Washington, DC 20301
43. USAF 2
DCS/Research & Development
Directorate of Operational Requirements
& Development Plans
Tactical Division
5E381
The Pentagon
Washington, DC 20301
44. HQ TAC/DO AT 1
Langley AFB, VA 23665
45. HQ TAC/DO O 5
Langley AFB, VA 23665
46. Mr. Andrew W. Marshall 5
Director Not Assessment
Room 3A930
Pentagon
Washington, DC 20301
47. Dr. James A. Ross 1
Institute for Defense Analyses
400 Army Navy Drive
Arlington, VA 22202
48. Lt. Col. Lanny T. Lancaster 10
HDQ TAC/CCS
Langley AFB, VA 23665
49. Mr. Thomas E. Gaines 1
P.O. Box 225907
Vought Corporation
Dallas, TX 75265
50. Mr. Emil H. Seaman 1
Aerojet Ordnance Company
9236 East Hall Road
Downey, CA 90241
51. Mr. Charles E. Myers 1
2000 S. Eads #113
Arlington, VA 22202

52.	Mr. David G. Opheim Honeywell, Inc. 600 Second Street, N.E. Hopkins, MN 55343	1
53.	Mr. John D. Pafenberg HQ USAF/ING - Pentagon, Room 4A882 Washington, DC 20330	1
54.	Col. W.E. Barrineau, Jr. TFW/DO APO NY 01923	1
55.	HQ TAC/DOOF Langley AFB, VA 23665	1
56.	HQ TAC/XP Langley AFB, VA 23665	1
57.	USAF TFWC/SA Nellis AFB, NV 89191	1
58.	57 FWW/DO Nellis AFB, NV 89191	1
59.	12 AF/DO Bergstrom AFB, TX 78743	2
60.	9 AF/DO Shaw AFB, SC 29152	2
61.	CINCUSAFE/DO Ramstein AFB APO 09012	1
62.	CINCUSAFE/DOOF Ramstein AFB APO 09012	2
63.	CINCUSAFE/DOOT Ramstein AFB APO 09012	2
64.	CINCUSAFE/DOST Ramstein AFB APO 09012	2
65.	USAF Maj. Gen. Kelly TFWC/CC Nellis AFB, NV 89191	5

66.	66 FWC/CC Nellis AFB, NV 89191	50
67.	Thomas P. Christie DASD (Tactical Air Program) PA&E Room 2E330 Pentagon Washington, DC 20301	50
68.	Maj. Davies (ASD/YXA) USAF/Aeronautical Systems Division A-10 System Program Office Directorate of Armament Wright-Patterson AFB, OH 45433	10
69.	Battele Columbus Laboratories Tactical Technology Center Room 13-4127 Attention: Mr. J. Tuck Brown 505 King Avenue Columbus, OH 43201	5
70.	HQ USAF DSC/RDF Pentagon - 4D283 Washington, DC 20330	5
71.	Lt. Gen. (USA Ret) H.R. Aaron 7722 Kalorama Road Annandale, VA 22003	1
72.	Maj. Robert. K. Redlin Commandant of the Marine Corps Code R&P Headquarters, U.S. Marine Corps Washington, DC 20380	1
73.	Lt. Gen P.X. Kelly, USMC Deputy Chief of Staff, Requirements & Programs Headquarters U.S. Marine Corps Washington, DC 20380	1
74.	Lt. Col. G. W. Keiser (Code RP) U.S. Marine Corps Requirements & Programs Washington, DC 20380	1

75.	Mr. John F. Blake 9312 Crown Place Alexandria, VA 22308	1
76.	Mr. Richard Eppard Central Intelligence Agency Office of Logistics Washington, DC 20505	1
77.	Mr. Rudolf A. Endors 10101 Colebrook Avenue Potomac, MD 20854	1
78.	Maj. Gen. Thomas P. Lynch Commanding General U.S. Army Armor Center Fort Knox, KY 40121	1
79.	Lt. Col. John H. Ridge U.S. Army Armor Center Fort Knox, KY 40121	1
80.	Maj. Barry D. Watts OSD/Office of Net Assessment Pentagon - 3A930 Washington, DC 20301	1
81.	HQ TAC/CC Langley AFB, VA 23665	2
82.	Library, Code 0212 Naval Postgraduate School Monterey, CA 93940	2
83.	Dept. Chairman Dept. of National Security Affairs Naval Postgraduate School Monterey, CA 93940	2
84.	Professor R.H.S. Stolfi Dept. of National Security Affairs Naval Postgraduate School Monterey, CA 93940	30
85.	AFIT/CIP (Library) Wright-Patterson AFB, OH 45433	2
86.	AFIS/INH Ft. Belvoir, VA 22060	1

87.	Brig. Gen. Reed 355 TFW/CC Davis Monthan AFB, AZ 85707	5
88.	Col. Wayne E. Davis 1411 Gemini Circle Moody AFB Valdosta, CA 31601	1
89.	Brig. Gen. W.S. Harpe 14 TFW Columbus, MS 39701	5
90.	354 TFW/DCM Myrtle Beach AFB, SC 29577	1
91.	TAC/DR Langley AFB, VA 23665	1
92.	CIA/HQ Washington, DC 20505	2
93.	General Elwood Quesada (Retd.) L'Enfanc Plaza Washington, DC 20024	1
94.	Mr. P.M. Sprey Box 264, R.D. 1 Glenn Dale, MD 20769	5
95.	Mr. Mike Mecca Fairchild Industries Germantown, MD 20767	2
96.	Industrial College of the Armed Forces Library Ft. Lesley J. McNair Washington, DC 20319	1
97.	Mr. Bernard Kornhauser System Planning Corp. 1500 Wilson Blvd. Suite 1500 Arlington, VA 22209	1
98.	Maj. Gerald H. Felix, USAF 112 TFG Greater Pittsburgh Airport Pennsylvania Air Guard Pittsburgh, PA 15180	5

99.	USMCDEC Firepower Division Air Branch/Code D092 Attention: Ms. Kearns Quantico, VA 22134	5
100.	USAF TAWC Eglin AFB, FL 32542	1
101.	Headquarters U.S. Marine Corps Chief of Staff Arlington Annex Room 2010 Columbia Pike & Arlington Ridge Road Arlington, VA 20370	5
102.	USAF Air University Library Maxwell AFB, AL 36112	2
103.	CMDR, Naval Weapons Center Attention: Mr. Bates China Lake, CA 93555	2
104.	Col. Robert M. Gomez/DRXSR Deputy Director/Commanding Officer Ballistic Research Laboratory Building 328 Aberdeen Proving Ground, MD 21005	1
105.	GE, Armament Systems Dept. Director Lakeside Ave. Burlington, VT 05401	1
106.	HQ TAC/DO Langley AFB, VA 23665	5
107.	354 TFW/CC Myrtle Beach AFB, SC 29577	5
108.	23 TFW/CC England AFB, LA 71301	1
109.	356 TFS/DO Attention: Maj. Lt. Col. Jenny Myrtle Beach AFB, SC 29577	5
110.	USAC 4SC Ft. Leavenworth, KS 66027	1

111.	355 TFW/DOW Davis Monthan AFB, AZ 85707	1
112.	355 TFW/DO (A-7) Davis Monthan AFB, AZ 85707	5
113.	355 TFW/DO (A-10) Davis Monthan AFB, AZ 85707	5
114.	333 TFTS/CC Davis Monthan AFB, AZ 85707	1
115.	333 TFTS/DO Davis Monthan AFB, AZ 85707	5
116.	OLAC 4444 OPS SQ (ISD) Davis Monthan AFB, AZ 85707	1
117.	355 TTS/CC Davis Monthan AFB, AZ 85707	1
118.	Herrn Dr. Stahl Bundesarchiv-Militararchiv <u>78 Freiburg im Breisgau</u> Wiesentr 10 West Germany	2
119.	Mr. Richard E. Tuck U.S. General Accounting Office 441 C Street, N.W. Washington, DC 20548	1
120.	Col. Paul N. Chase HQ USAF AF/SAGP Pentagon - 1D373 Washington, DC 20330	1
121.	Mr. Peter McDavitt Honeywell 600 Second Street, N.E. Hopkins, MN 55343	1
122.	Col. Carl Case Fighter Division Air Force Studies & Analysis Pentagon - 1D380B Washington, DC 20330	1

123. Lt. Col. John L. Welde 1
354 TFW/DO
MB AFB, SC 29577

124. Dr. Dieter H. Schwebs 1
U.S. General Accounting Office
441 C Street, N.W.
Room 6478
Washington, DC 20548

125. Col. Michael L. Wardinski 1
HQ Department of the Army
DAMI-RT
Pentagon - BF722
Washington, DC 20310

126. Mr. John Sloan 1
HQ Department of the Army
DAMI-RT
Pentagon - BF722
Washington, DC 20310

127. Mr. W.R. Beuch 1
HQ Department of the Army
DAMI-RT
Pentagon - BF722
Washington, DC 20310

128. FMC Corporation 1
1105 Coleman Avenue
Box 1201
Attention: Mr. Don Loughlin, MD510
San Jose, CA 95108

129. Lt. Col. J.W. Lent 1
HQ MC (Code RPR-7)
Washington, DC 20380

130. Edward Fuge (Major, Retired, USAF) 1
Department of Political Science
University of New Mexico
Albuquerque, New Mexico 87131

131. Mr. Arthur G. Hanley 1
Central Intelligence Agency
Procurement Management Staff
Washington, DC 20505

132. 50 TFW/CC 1
APO NY 09109

133.	50 TFW/DO APO NY 09109	5
134.	50 TFW/DO 496 TFS Attention: Maj. Ratley APO NY 09109	5
135.	Energy Efficiency System Attention: Mr. Verdi 187 W. Orangethorpe Road Suite P Placentia, CA 92670	1
136.	Col. Richard C. Head Council on Foreign Relations The Harold Pratt House 58 East 68 Street New York, NY 10021	1
137.	General Hermann Balck <u>7144 Asperg</u> Egerstr. 23 Federal Republic of Germany	1
138.	Col. Faybanic AWC/DAUM Maxwell AFB, AL 36112	1
139.	Mr. Cobleigh Hughes Aircraft Canoga Park, CA 91304	1
140.	Boeing Attention: Mr. Bud Nelson P.O. Box 3999, M/S 40-30 Seattle, WA 98124	1
141.	IDA Attention: Dr. Whittemore 400 Army Navy Drive Arlington, VA 22202	1
143.	Lt. Gen. Mahlke <u>2350 Heikendorf</u> Steenkamp 8 Federal Republic of Germany	1

144. HQ USAF 1
Attention: Lt. Gen. John Pustay
Office of Chief of Staff
Pentagon
Washington, DC 20330
145. Studiengruppe Luftwaffe 1
Suchrunge Akademic der Bundeswehr
2000 Hamburg 55
Manteuffelatr. 20
Federal Republic of Germany
146. Gen. Wilke 1
31 Alle
Schlepegrellstr. 30
Federal Republic of Germany
147. General F.W. von Mellenthin 1
Box 67759
Bryanston 2021
Johannesburg
Republic of South Africa
148. Herrn Brigadegeneral a.D. Paul-Werner Hozzel 1
Salierster. 4
D7500 Karlsruhe
Federal Republic of Germany
149. 91 TFS/CC/Dow 1
APO 09405
New York, New York 09012
150. 78 TFS/CC/DOW 1
APO 09405
New York, New York 09012
151. 92 TFS/CC/DOW 1
APO 09755
New York, New York 09012
152. Military Attache 1
U.S. Embassy (Rome, Italy)
APO 90794
New York, New York 09012
153. Millitary Attache 1
U.S. Embassy (Bonn, Federal Republic of Germany)
APO 09080
New York, New York 09012

154. Military Attache 1
U.S. Embassy (Saudi, Arabia)
APO 09697
New York, New York 09012

155. Military Attache 1
U.S. Embassy
Attention: Air Attache
New Delhi, India

156. Military Attache 1
U.S. Embassy
Attention: Maj. McBaron
Canberra, Australia

157. AFIS/INC 1
Attention: Col. Kuiper
Building 520
Bolling AFB, DC 20332

158. Mr. William Jenisch 1
Aerojet Ordnance Manufacturing Company
9336 East Hall Road
Downey, CA 90241

159. USAFE/DOOW 1
Attention: Maj. Lindsey
APO New York, New York 09012

160. Mr. James Simon 1
Central Intelligence Agency
Washington, DC 20505

161. Mr. David Keener 1
Central Intelligence Agency
Washington, DC 20505

162. Mr. Aris Pappas 1
Central Intelligence Agency
Washington, DC 20505

163. Mr. Andrew Hamilton 1
Congressional Budget Office/NSIA
4th Floor HOB, Annex #2
U.S. Congress
Washington, DC 20515

164. Mr. Pat Hillier 1
Congressional Budget Office/NSIA
4th Floor HOB, Annex #2
U.S. Congress

- Washington, DC 20515
165. Dr. Dov Zakheim 1
Congressional Budget Office/NSIA
4th Floor HOB, Annex #2
Washington, DC 20515
166. Mr. John Hamre 1
Congressional Budget Office/NSIA
4th Floor HOB, Annex #2
U.S. Congress
Washington, DC 20515
167. Ms. Grace P. Hayes 1
T.K. Dupuy Associates, Inc.
P.O. Box 157
Dunn Loring, VA 22027
168. Mr. C. Curtiss Johnson 1
T.N. Dupuy Associates, Inc.
P.O. Box 157
Dunn Loring, VA 22027
169. Ms. Lucille Patterson 1
T.N. Dupuy Associates, Inc.
P.O. Box 157
Dunn Loring, VA 22027
170. Col. A.J. Kettering 1
OSD/OUSTR&E
Pentagon
Washington, DC 20301
171. Mr. Robert S. Dotson 1
Senate Armed Services Committee
212 Russell Senate Office Building
Washington, DC 20510
172. Mr. Steven Canby 1
10871 Springknoll Drive
Potomac, MD 20854
173. Director 1
U.S. Army Aberdeen Research & Development Center
Army Materiel Systems Analysis Activity/DRXS
Aberdeen Proving Ground, MD 21005
174. Mr. Michael W. Iten/DRXS-C 1
U.S. Army Materiel Systems Analysis Activity
Aberdeen Proving Ground, MD 21005

175. Mr. G.A. Zoller 1
U.S. Army Materiel Systems Analysis Activity/DRXSY
Aberdeen Proving Ground, MD 21005
176. Maj. J.F. Balda 1
U.S. Army Materiel Systems Analysis Activity/DRXSY
Aberdeen Proving Ground, MD 21005
177. Mr Arif R. Zaky 1
U.S. Army Materiel Systems Analysis Activity/DRXSY
Aberdeen Proving Ground, MD 21005
178. Mr. Arthur W. Garrett 1
U.S. Army Materiel Systems Analysis Activity/DRXSY
Aberdeen Proving Ground, MD 21005
179. Mr. T.A. Romanko 1
U.S. Army Material Systems Analysis Activity/DRXSY
Aberdeen Proving Ground, MD 21005
180. Mr. Stanley Eibertz 1
U.S. General Accounting Office
441 C Street, N.W.
Washington, DC 20548
181. Mr. Fredic S. Feer 1
Analytical Assessments Corporation
P.O. Box 9102
Arlington, VA 22209
182. Mr. Dan Costello 1
OMB
New Executive Office Building
R10026
Washington, DC 20503
183. Mr. Gordon P. Lynch 1
Boeing Aerospace Company
Box 3999 - M/S 47-63
Seattle, WA 98124
184. Lt. Col. George W. Burkley 1
1875 Temple Hills Drive
Laguna Beach, CA 96215
185. Mr. Gerald Mayefskie 1
Quest Research Corporation
6845 Elm Street
McLean, VA 22101

186. Dr. John E. Tashjean 1
BDM
7915 Jones Branch Drive
McLean, VA 22101
187. Mr. David A. Brinkman 1
U.S. General Accounting Office
441 C Street, N.W. - Room 6478
Washington, DC 20548
188. Mr. Wayne H. Coloney 1
P.O. Box 5258
Tallahassee, FL 32301
189. Lt. Gen. M.P. Casey, USAF (ret.) 5
Wayne H. Coloney Company
P.O. Box 5258
Tallahassee, FL 32301
190. Mr. Richard W. Oates 5
General Electric
Lakeside Avenue
Burlington, VT 05401
191. Lt. Col. James Cord 1
Command and Staff College
Marine Corps Development & Education Command
Quantico, VA 22314
192. Brig. General W.H. Fitch 1
Deputy Chief of Staff, R&D and Studies
USMC
Arlington Annex
Washington, DC 20380
193. Mr. Jim Erickson 1
Grumman Aerospace
BOS-05
Bethpage, NY 11714
- 193A Defense Technical Information Center 2
Cameron Station
Alexandria, Virginia 22314

194. Professor Andrew Cyorgy 1
Sino-Soviet Institute
George Washington University
2029 G Street, N.W.
Washington, DC 20052
195. Mr. Charles Bernard 1
Director, Land Warfare
OSD/OUSDRE
Pentagon
Washington, DC 20301
196. 162 TFG/FWS 10
P.O. Box 11037
Tucson, AZ 85734
Attention: Lt. Col. O'Donnell
197. Mr. P. Nichols 1
Ayres Corp.
P.O. Box 3090
Albany, GA 31706
198. Herrn Brigadegeneral a.D Loytved-Hardegg 1
41 Odenbergerstr.
5800 Nurnberg
Federal Republic of Germany
199. Herrn Oberst a.D. Poetter 1
21-2 Alter Remise
8941 Kronburg
Federal Republic of Germany
200. Dr. Richard Staar 1
Dir. International Studies Pgms.
Hoover Institute
Stanford, CA 94305
201. Armament Systems, Inc. 1
712-F N. Valley St.
Anaheim, CA 92801
Attention: Mr. Tom Gilbert
202. Library, Code 0212 2
Naval Postgraduate School
Monterey, California 93940
203. Dean of Research, Code 012 1
Naval Postgraduate School
Monterey, California 93940

U196763

Naval Postgraduate School.
NPS-56-80-006.

U196763

